

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A semiconductor device manufacturing method, comprising the steps of:
  - forming a trench by etching a silicon substrate;
  - forming a silicon nitride film along an inner wall of said trench; and
  - converting only a part of a surface of said silicon nitride film to a non-silicon-nitride type insulator film.
  
2. (currently amended) A semiconductor device manufacturing method, comprising the steps of:
  - forming a trench by etching a silicon substrate;
  - forming a silicon nitride film along an inner wall of said trench;
  - forming a first embedded insulator film inside said trench, said first embedded insulator film having a film thickness so as not to completely fill said trench;
  - converting only a part of a surface of said silicon nitride film into a non-silicon-nitride type insulator film,

said part of said surface being exposed from said first embedded insulator film; and

forming a second embedded insulator film on said first embedded insulator film ~~and filling~~ so that said trench is filled with said first and second embedded insulator films.

3. (original) The semiconductor device manufacturing method according to claim 2, further comprising, prior to the step of forming said silicon nitride film along said inner wall of said trench, a step of oxidizing said inner wall of said trench to form a silicon oxide film.

4. (original) The semiconductor device manufacturing method according to claim 2, wherein

said non-silicon-nitride type insulator film is positioned lower than a channel depth of a MOS transistor to be formed on said silicon substrate.

5. (currently amended) The semiconductor device manufacturing method according to claim 2, wherein

said part of said surface of said silicon nitride film is converted into said non-silicon-nitride type insulator film by using an ISSG oxidation method.

6. (currently amended) The semiconductor device manufacturing method according to claim 2, wherein

the step of converting said part of said surface of said silicon nitride film into said non-silicon-nitride type insulator film and the step of forming said second embedded insulator film on said first embedded insulator film are successively performed in a same apparatus.

7. (original) The semiconductor device manufacturing method according to claim 2, wherein

said first embedded insulator film is formed by either one of a pyrolytic CVD method using  $O_3$ -TEOS as a source gas and an HDP-CVD method.

8. (original) The semiconductor device manufacturing method according to claim 2, wherein

at least one of said first and second embedded insulator films is formed by using a coating method.

9. (original) The semiconductor device manufacturing method according to claim 8, wherein

said insulator film formed by the coating method is a polysilazane-type SOG film or an SOG film including porous silica.